

Schema **CC021A.xsd**

schema location: **<http://aidaservizitest.agenziadogane.it/>**
attribute form default: **unqualified**
element form default: **unqualified**
targetNamespace: **<http://ncts.dgtaxud.ec/CC021A>**

Elements Groups
[CC021A](#) **[MESSAGE](#)**

schema location: **<http://aidaservizitest.agenziadogane.it/>**
attribute form default: **unqualified**
element form default: **unqualified**
targetNamespace: **<http://ncts.dgtaxud.ec/doc>**

Elements
[codeList](#)
[condition](#)
[description](#)
[rule](#)

schema location: **<http://aidaservizitest.agenziadogane.it/>**
attribute form default: **unqualified**
element form default: **unqualified**
targetNamespace: **http://ncts.dgtaxud.ec/complex_ncts**

schema location: **<http://aidaservizitest.agenziadogane.it/>**
attribute form default: **unqualified**
element form default: **unqualified**
targetNamespace: **http://ncts.dgtaxud.ec/simple_ncts**


schema location: **<http://aidaservizitest.agenziadogane.it/>**
attribute form default: **unqualified**
element form default: **unqualified**
targetNamespace: **http://ncts.dgtaxud.ec/tcl_ncts**

schema location: **<http://aidaservizitest.agenziadogane.it/>**
attribute form default: **unqualified**
element form default: **unqualified**
targetNamespace: **<http://ncts.dgtaxud.ec/simple>**

schema location: **<http://aidaservizitest.agenziadogane.it/>**
attribute form default: **unqualified**
element form default: **unqualified**
targetNamespace: **<http://ncts.dgtaxud.ec/tcl>**

element **CC021A**

diagram



namespace <http://ncts.dgtaxud.ec/CC021A>

type [ie:CC021AType](#)


properties content complex

children [SynIdeMES1](#) [SynVerNumMES2](#) [MesSenMES3](#) [SenIdeCodQuaMES4](#) [MesRecMES6](#) [RecIdeCodQuaMES7](#)
[DatOfPreMES9](#) [TimOfPreMES10](#) [IntConRefMES11](#) [RecRefMES12](#) [RecRefQuaMES13](#) [AppRefMES14](#) [PriMES15](#)
[AckReqMES16](#) [ComAgridMES17](#) [TesIndMES18](#) [MesIdeMES19](#) [MesTypMES20](#) [ComAccRefMES21](#)
[MesSeqNumMES22](#) [FirAndLasTraMES23](#) [HEAHEA](#) [TRADESTRD](#) [CUSOFFPREOFFRES](#)

source `<xs:element name="CC021A" type="ie:CC021AType"/>`

group **MESSAGE**

diagram



namespace <http://ncts.dgtaxud.ec/CC021A>

children [SynIdeMES1](#) [SynVerNumMES2](#) [MesSenMES3](#) [SenIdeCodQuaMES4](#) [MesRecMES6](#) [RecIdeCodQuaMES7](#) [DatOfPreMES9](#) [TimOfPreMES10](#) [IntConRefMES11](#) [RecRefMES12](#) [RecRefQuaMES13](#) [AppRefMES14](#) [PriMES15](#) [AckReqMES16](#) [ComAgrIdMES17](#) [TesIndMES18](#) [MesIdeMES19](#) [MesTypMES20](#) [ComAccRefMES21](#) [MesSeqNumMES22](#) [FirAndLasTraMES23](#)

used by complexType [CC021AType](#)

```
source <xs:group name="MESSAGE">
  <xs:sequence>
    <xs:element name="SynIdeMES1" type="tcl:SyntaxIdentifier" minOccurs="0">
      <xs:annotation>
        <xs:documentation>
          <doc:description value="Syntax identifier"/>
          <doc:codeList name="SyntaxIdentifier"/>
        </xs:documentation>
      </xs:annotation>
    </xs:element>
    <xs:element name="SynVerNumMES2" type="tcl:SyntaxVersionNumber" minOccurs="0">
      <xs:annotation>
        <xs:documentation>
          <doc:description value="Syntax version number"/>
          <doc:codeList name="SyntaxVersionNumber"/>
        </xs:documentation>
      </xs:annotation>
    </xs:element>
    <xs:element name="MesSenMES3" type="simple:Alphanumeric_Max35">
      <xs:annotation>
        <xs:documentation>
          <doc:description value="Message sender"/>
        </xs:documentation>
      </xs:annotation>
    </xs:element>
    <xs:element name="SenIdeCodQuaMES4" type="simple:Alphanumeric_Max4" minOccurs="0">
      <xs:annotation>
        <xs:documentation>
          <doc:description value="Sender identification code qualifier"/>
        </xs:documentation>
      </xs:annotation>
    </xs:element>
    <xs:element name="MesRecMES6" type="simple:Alphanumeric_Max35">
      <xs:annotation>
        <xs:documentation>
          <doc:description value="Message recipient"/>
        </xs:documentation>
      </xs:annotation>
    </xs:element>
    <xs:element name="RecIdeCodQuaMES7" type="simple:Alphanumeric_Max4" minOccurs="0">
      <xs:annotation>
        <xs:documentation>
          <doc:description value="Recipient identification code qualifier"/>
        </xs:documentation>
      </xs:annotation>
    </xs:element>
    <xs:element name="DatOfPreMES9" type="simple:DatePrepType">
      <xs:annotation>
        <xs:documentation>
          <doc:description value="Date of preparation"/>
        </xs:documentation>
      </xs:annotation>
    </xs:element>
    <xs:element name="TimOfPreMES10" type="simple:TimeType">
      <xs:annotation>
        <xs:documentation>
          <doc:description value="Time of preparation"/>
        </xs:documentation>
      </xs:annotation>
    </xs:element>
    <xs:element name="IntConRefMES11" type="simple:Alphanumeric_Max14" minOccurs="0">
      <xs:annotation>
        <xs:documentation>
          <doc:description value="Interchange control reference"/>
        </xs:documentation>
      </xs:annotation>
    </xs:element>
    <xs:element name="RecRefMES12" type="simple:Alphanumeric_Max14" minOccurs="0">
```



```

<xs:annotation>
  <xs:documentation>
    <doc:description value="Recipient's reference/password"/>
  </xs:documentation>
</xs:annotation>
</xs:element>
<xs:element name="RecRefQuaMES13" type="simple:Alphanumeric_2" minOccurs="0">
  <xs:annotation>
    <xs:documentation>
      <doc:description value="Recipient's reference/password qualifier"/>
    </xs:documentation>
  </xs:annotation>
</xs:element>
<xs:element name="AppRefMES14" type="simple:Alphanumeric_Max14" minOccurs="0">
  <xs:annotation>
    <xs:documentation>
      <doc:description value="Application reference"/>
    </xs:documentation>
  </xs:annotation>
</xs:element>
<xs:element name="PriMES15" type="simple:Alpha_1" minOccurs="0">
  <xs:annotation>
    <xs:documentation>
      <doc:description value="Priority"/>
    </xs:documentation>
  </xs:annotation>
</xs:element>
<xs:element name="AckReqMES16" type="tcl:Flag" minOccurs="0">
  <xs:annotation>
    <xs:documentation>
      <doc:description value="Acknowledgement request"/>
      <doc:codeList name="Flag"/>
    </xs:documentation>
  </xs:annotation>
</xs:element>
<xs:element name="ComAgrIdMES17" type="simple:Alphanumeric_Max35" minOccurs="0">
  <xs:annotation>
    <xs:documentation>
      <doc:description value="Communications agreement id"/>
    </xs:documentation>
  </xs:annotation>
</xs:element>
<xs:element name="TesIndMES18" type="tcl:Flag" minOccurs="0">
  <xs:annotation>
    <xs:documentation>
      <doc:description value="Test indicator"/>
      <doc:rule name="TR9085"/>
      <doc:codeList name="Flag"/>
    </xs:documentation>
  </xs:annotation>
</xs:element>
<xs:element name="MesIdMES19" type="simple:Alphanumeric_Max14" minOccurs="0">
  <xs:annotation>
    <xs:documentation>
      <doc:description value="Message identification"/>
    </xs:documentation>
  </xs:annotation>
</xs:element>
<xs:element name="MesTypMES20" type="tcl:MessageTypes">
  <xs:annotation>
    <xs:documentation>
      <doc:description value="Message type"/>
      <doc:codeList name="MessageTypes"/>
    </xs:documentation>
  </xs:annotation>
</xs:element>
<xs:element name="ComAccRefMES21" type="simple:Alphanumeric_Max35" minOccurs="0">
  <xs:annotation>
    <xs:documentation>
      <doc:description value="Common access reference"/>
    </xs:documentation>
  </xs:annotation>
</xs:element>
<xs:element name="MesSeqNumMES22" type="simple:Numeric_Max2" minOccurs="0">
  <xs:annotation>
    <xs:documentation>
      <doc:description value="Message sequence number"/>
    </xs:documentation>
  </xs:annotation>
</xs:element>

```

```

</xs:documentation>
</xs:annotation>
</xs:element>
<xs:element name="FirAndLasTraMES23" type="tcl:FirstLast" minOccurs="0">
  <xs:annotation>
    <xs:documentation>
      <doc:description value="First and last transfer"/>
      <doc:codeList name="FirstLast"/>
    </xs:documentation>
  </xs:annotation>
</xs:element>
</xs:sequence>
</xs:group>

```

element MESSAGE/SynIdeMES1

diagram



```

<doc:description
value="Syntax identifier"/>
<doc:codeList
name="SyntaxIdentifier"/>

```

type [tcl:SyntaxIdentifier](#)

properties isRef 0
content simple
facets enumeration UNOC

annotation documentation <doc:description value="Syntax identifier"/>
<doc:codeList name="SyntaxIdentifier"/>

source <xs:element name="SynIdeMES1" type="tcl:SyntaxIdentifier" minOccurs="0">
<xs:annotation>
<xs:documentation>
<doc:description value="Syntax identifier"/>
<doc:codeList name="SyntaxIdentifier"/>
</xs:documentation>
</xs:annotation>
</xs:element>

element MESSAGE/SynVerNumMES2

diagram



```

<doc:description
value="Syntax version
number"/>
<doc:codeList
name="SyntaxVersionNumb
er"/>

```

type [tcl:SyntaxVersionNumber](#)

properties isRef 0
content simple
facets enumeration 3

annotation documentation <doc:description value="Syntax version number"/>
<doc:codeList name="SyntaxVersionNumber"/>

source <xs:element name="SynVerNumMES2" type="tcl:SyntaxVersionNumber" minOccurs="0">
<xs:annotation>
<xs:documentation>
<doc:description value="Syntax version number"/>
<doc:codeList name="SyntaxVersionNumber"/>
</xs:documentation>
</xs:annotation>
</xs:element>

element MESSAGE/MesSenMES3

diagram

A diagram showing a rectangular box with the text "MesSenMES3" inside. To the left of the box are three horizontal lines of increasing length, resembling a list or menu icon.

```
<doc:description  
value="Message sender"/>
```

type [simple:Alphanumeric_Max35](#)

properties isRef 0
content simple
facets maxLength 35
pattern {1,35}
annotation documentation <doc:description value="Message sender"/>

```
<xs:element name="MesSenMES3" type="simple:Alphanumeric_Max35">  
  <xs:annotation>  
    <xs:documentation>  
      <doc:description value="Message sender"/>  
    </xs:documentation>  
  </xs:annotation>  
</xs:element>
```

element MESSAGE/SenIdeCodQuaMES4

diagram

A diagram showing a rectangular box with the text "SenIdeCodQuaMES4" inside. To the left of the box are three horizontal lines of increasing length, resembling a list or menu icon.

```
<doc:description  
value="Sender identification  
code qualifier"/>
```

type [simple:Alphanumeric_Max4](#)

properties isRef 0
content simple
facets maxLength 4
pattern {1,4}
annotation documentation <doc:description value="Sender identification code qualifier"/>

```
<xs:element name="SenIdeCodQuaMES4" type="simple:Alphanumeric_Max4" minOccurs="0">  
  <xs:annotation>  
    <xs:documentation>  
      <doc:description value="Sender identification code qualifier"/>  
    </xs:documentation>  
  </xs:annotation>  
</xs:element>
```

element MESSAGE/MesRecMES6

diagram

A diagram showing a rectangular box with the text "MesRecMES6" inside. To the left of the box are three horizontal lines of increasing length, resembling a list or menu icon.

```
<doc:description  
value="Message  
recipient"/>
```


type [simple:Alphanumeric_Max35](#)

properties isRef 0
content simple
facets maxLength 35
pattern {1,35}
annotation documentation <doc:description value="Message recipient"/>

```
<xs:element name="MesRecMES6" type="simple:Alphanumeric_Max35">  
  <xs:annotation>  
    <xs:documentation>  
      <doc:description value="Message recipient"/>  
    </xs:documentation>  
  </xs:annotation>  
</xs:element>
```

element MESSAGE/RecIdeCodQuaMES7

diagram



```
<doc:description  
value="Recipient  
identification code  
qualifier"/>
```

type [simple:Alphanumeric_Max4](#)

properties isRef 0

content simple

maxLength 4

facets

pattern {1,4}

annotation

documentation <doc:description value="Recipient identification code qualifier"/>

```
source <xs:element name="RecIdeCodQuaMES7" type="simple:Alphanumeric_Max4" minOccurs="0">  
<xs:annotation>  
<xs:documentation>  
<doc:description value="Recipient identification code qualifier"/>  
</xs:documentation>  
</xs:annotation>  
</xs:element>
```

element MESSAGE/DatOfPreMES9

diagram



```
<doc:description  
value="Date of  
preparation"/>
```

type [simple:DatePrepType](#)

properties isRef 0

content simple

length 6

facets

pattern [0-9]{2}((([0][1][3][5][7][8])|([0][1-9]|([1-2][0-9]|([3][0-1])|([0][4][6][9])|([0][1-9]|([1-2][0-9]|([3][0])|([0][2])|([0][1-9]|([1-2][0-9])|([1][0][2])|([0][1-9]|([1-2][0-9]|([3][0-1])|([1][1])|([0][1-9]|([1-2][0-9]|([3][0])

annotation

documentation <doc:description value="Date of preparation"/>

```
source <xs:element name="DatOfPreMES9" type="simple:DatePrepType">  
<xs:annotation>  
<xs:documentation>  
<doc:description value="Date of preparation"/>  
</xs:documentation>  
</xs:annotation>  
</xs:element>
```

element MESSAGE/TimOfPreMES10

diagram



```
<doc:description  
value="Time of  
preparation"/>
```

type [simple:TimeType](#)

properties isRef 0

content simple

length 4

facets

pattern ([2][0-3]|([0][0-9]|([1][0-9])|([0-5][0-9])

annotation

documentation <doc:description value="Time of preparation"/>

```
source <xs:element name="TimOfPreMES10" type="simple:TimeType">  
<xs:annotation>  
<xs:documentation>  
<doc:description value="Time of preparation"/>  
</xs:documentation>  
</xs:annotation>
```

</xs:element>

element MESSAGE/IntConRefMES11

diagram



```
<doc:description  
value="Interchange control  
reference"/>
```

type [simple:Alphanumeric_Max14](#)

properties isRef 0
content simple
facets maxLength 14
pattern {1,14}
annotation documentation <doc:description value="Interchange control reference"/>

```
source <xs:element name="IntConRefMES11" type="simple:Alphanumeric_Max14" minOccurs="0">  
<xs:annotation>  
<xs:documentation>  
<doc:description value="Interchange control reference"/>  
</xs:documentation>  
</xs:annotation>  
</xs:element>
```

element MESSAGE/RecRefMES12

diagram



```
<doc:description  
value="Recipient's  
reference/password"/>
```

type [simple:Alphanumeric_Max14](#)

properties isRef 0
content simple
facets maxLength 14
pattern {1,14}
annotation documentation <doc:description value="Recipient's reference/password"/>

```
source <xs:element name="RecRefMES12" type="simple:Alphanumeric_Max14" minOccurs="0">  
<xs:annotation>  
<xs:documentation>  
<doc:description value="Recipient's reference/password"/>  
</xs:documentation>  
</xs:annotation>  
</xs:element>
```

element MESSAGE/RecRefQuaMES13

diagram



```
<doc:description  
value="Recipient's  
reference/password  
qualifier"/>
```

type [simple:Alphanumeric_2](#)

properties isRef 0
content simple
facets length 2
pattern {2}
annotation documentation <doc:description value="Recipient's reference/password qualifier"/>

```
source <xs:element name="RecRefQuaMES13" type="simple:Alphanumeric_2" minOccurs="0">  
<xs:annotation>  
<xs:documentation>  
<doc:description value="Recipient's reference/password qualifier"/>  
</xs:documentation>
```


```

</xs:annotation>
</xs:element>

```

element MESSAGE/AppRefMES14

diagram



type [simple:Alphanumeric Max14](#)

properties isRef 0
content simple
maxLength 14
facets pattern {1,14}
documentation <doc:description value="Application reference"/>


```

source <xs:element name="AppRefMES14" type="simple:Alphanumeric_Max14" minOccurs="0">
  <xs:annotation>
    <xs:documentation>
      <doc:description value="Application reference"/>
    </xs:documentation>
  </xs:annotation>
</xs:element>

```

element MESSAGE/PriMES15

diagram



type [simple:Alpha 1](#)

properties isRef 0
content simple
length 1
facets pattern [a-zA-Z]
documentation <doc:description value="Priority"/>

```

source <xs:element name="PriMES15" type="simple:Alpha_1" minOccurs="0">
  <xs:annotation>
    <xs:documentation>
      <doc:description value="Priority"/>
    </xs:documentation>
  </xs:annotation>
</xs:element>

```

element MESSAGE/AckReqMES16

diagram



type [tcl:Flag](#)

properties isRef 0
content simple
enumeration 0
enumeration 1
documentation <doc:description value="Acknowledgement request"/>
<doc:codeList name="Flag"/>

```

source <xs:element name="AckReqMES16" type="tcl:Flag" minOccurs="0">
  <xs:annotation>
    <xs:documentation>
      <doc:description value="Acknowledgement request"/>
    </xs:documentation>
  </xs:annotation>
</xs:element>

```

```

        <doc:codeList name="Flag"/>
      </xs:documentation>
    </xs:annotation>
  </xs:element>

```

element MESSAGE/ComAgrIdMES17

diagram



type [simple:Alphanumeric_Max35](#)

properties isRef 0
 content simple
 facets maxLength 35
 pattern {1,35}
 annotation documentation <doc:description value="Communications agreement id"/>

source <xs:element name="ComAgrIdMES17" type="simple:Alphanumeric_Max35" minOccurs="0">
 <xs:annotation>
 <xs:documentation>
 <doc:description value="Communications agreement id"/>
 </xs:documentation>
 </xs:annotation>
 </xs:element>

element MESSAGE/TesIndMES18

diagram



type [tcl:Flag](#)

properties isRef 0
 content simple
 facets enumeration 0
 enumeration 1
 annotation documentation <doc:description value="Test indicator"/>
 <doc:rule name="TR9085"/>
 <doc:codeList name="Flag"/>

source <xs:element name="TesIndMES18" type="tcl:Flag" minOccurs="0">
 <xs:annotation>
 <xs:documentation>
 <doc:description value="Test indicator"/>
 <doc:rule name="TR9085"/>
 <doc:codeList name="Flag"/>
 </xs:documentation>
 </xs:annotation>
 </xs:element>

element MESSAGE/MesIdeMES19

diagram



type [simple:Alphanumeric_Max14](#)

properties isRef 0
 content simple
 facets maxLength 14

pattern `.{1,14}`
 annotation documentation `<doc:description value="Message identification"/>`
 source `<xs:element name="MesIdeMES19" type="simple:Alphanumeric_Max14" minOccurs="0">`
 `<xs:annotation>`
 `<xs:documentation>`
 `<doc:description value="Message identification"/>`
 `</xs:documentation>`
 `</xs:annotation>`
`</xs:element>`

element MESSAGE/MesTypMES20

diagram 
 `<doc:description`
 `value="Message type"/>`
 `<doc:codeList`
 `name="MessageTypes"/>`

type [tcl:MessageTypes](#)

properties isRef `0`
 content `simple`
 facets

| | |
|-------------|--------|
| enumeration | CC004A |
| enumeration | CC005A |
| enumeration | CC007A |
| enumeration | CC008A |
| enumeration | CC009A |
| enumeration | CC013B |
| enumeration | CC014A |
| enumeration | CC015A |
| enumeration | CC015B |
| enumeration | CC016A |
| enumeration | CC017B |
| enumeration | CC019A |
| enumeration | CC021A |
| enumeration | CC023A |
| enumeration | CC025A |
| enumeration | CC026A |
| enumeration | CC028A |
| enumeration | CC029B |
| enumeration | CC035A |
| enumeration | CC043A |
| enumeration | CC044A |
| enumeration | CC045A |
| enumeration | CC051B |
| enumeration | CC054A |
| enumeration | CC055A |
| enumeration | CC058A |
| enumeration | CC060A |
| enumeration | CC062A |
| enumeration | CC100A |
| enumeration | CC140A |
| enumeration | CC141A |
| enumeration | CC224A |
| enumeration | CC225A |
| enumeration | CC228A |
| enumeration | CC229A |
| enumeration | CC231A |
| enumeration | CC928A |
| enumeration | CD001B |
| enumeration | CD002A |
| enumeration | CD003B |
| enumeration | CD006A |
| enumeration | CD010A |
| enumeration | CD011A |
| enumeration | CD012B |
| enumeration | CD018B |
| enumeration | CD020A |
| enumeration | CD024A |
| enumeration | CD027A |
| enumeration | CD030B |
| enumeration | CD031B |
| enumeration | CD032B |
| enumeration | CD034A |



```

enumeration CD037A
enumeration CD038B
enumeration CD050B
enumeration CD059A
enumeration CD063A
enumeration CD070A
enumeration CD071A
enumeration CD111A
enumeration CD112A
enumeration CD114A
enumeration CD115B
enumeration CD118A
enumeration CD142A
enumeration CD143A
enumeration CD144A
enumeration CD145A
enumeration CD150A
enumeration CD151A
enumeration CD152A
enumeration CD200A
enumeration CD201A
enumeration CD203A
enumeration CD204A
enumeration CD205A
enumeration CD209A
enumeration CD411B
enumeration CD412B
enumeration CD413B
enumeration CD901B
enumeration CD904A
enumeration CD905A
enumeration CD906A
enumeration CD907A
enumeration CD912A
enumeration CD913A
enumeration CD914A
enumeration CD916A
enumeration CD918A
enumeration CD919A
enumeration CD931B
enumeration CD932B
enumeration CD971A
annotation documentation <doc:description value="Message type"/>
                           <doc:codeList name="MessageTypes"/>
source <xs:element name="MesTypMES20" type="tcl:MessageTypes">
  <xs:annotation>
    <xs:documentation>
      <doc:description value="Message type"/>
      <doc:codeList name="MessageTypes"/>
    </xs:documentation>
  </xs:annotation>
</xs:element>

```

element MESSAGE/ComAccRefMES21

```

diagram
  diagram
    
  <doc:description
    value="Common access
    reference"/>


  type simple:Alphanumeric\_Max35
  properties
    isRef 0
  content simple
  facets
    maxLength 35
    pattern {1,35}
  annotation
    documentation <doc:description value="Common access reference"/>
  source <xs:element name="ComAccRefMES21" type="simple:Alphanumeric_Max35" minOccurs="0">
    <xs:annotation>
      <xs:documentation>
        <doc:description value="Common access reference"/>
      </xs:documentation>
    </xs:annotation>
  </xs:element>

```

</xs:element>

element MESSAGE/MesSeqNumMES22

diagram




type [simple:Numeric_Max2](#)

properties isRef 0
content simple
facets maxLength 2
pattern [0-9]{1,2}
annotation documentation <doc:description value='Message sequence number' />

source <xs:element name='MesSeqNumMES22' type='simple:Numeric_Max2' minOccurs='0'>
<xs:annotation>
<xs:documentation>
<doc:description value='Message sequence number' />
</xs:documentation>
</xs:annotation>
</xs:element>

element MESSAGE/FirAndLasTraMES23

diagram




type [tcl:FirstLast](#)

properties isRef 0
content simple
facets enumeration F
enumeration L
annotation documentation <doc:description value='First and last transfer' />
<doc:codeList name='FirstLast' />

source <xs:element name='FirAndLasTraMES23' type='tcl:FirstLast' minOccurs='0'>
<xs:annotation>
<xs:documentation>
<doc:description value='First and last transfer' />
<doc:codeList name='FirstLast' />
</xs:documentation>
</xs:annotation>
</xs:element>

element doc:codeList

diagram



namespace <http://ncts.dgtaxud.ec/doc>

properties content complex

| attributes | Name | Type | Use | Default | Fixed | Annotation |
|------------|------|----------|----------|-----------|-------|------------|
| | name | xs:token | required | | | |
| | type | xs:token | | technical | | |

source <xs:element name='codeList'>
<xs:complexType>


```

<xs:attribute name="name" type="xs:token" use="required"/>
<xs:attribute name="type" type="xs:token" default="technical"/>
</xs:complexType>
</xs:element>

```

element **doc:condition**

diagram



namespace <http://ncts.dgtaxud.ec/doc>

properties content complex

| attributes | Name | Type | Use | Default | Fixed | Annotation |
|------------|------|----------|----------|---------|-------|------------|
| | name | xs:token | required | | | |

source


```

<xs:element name="condition">
  <xs:complexType>
    <xs:attribute name="name" type="xs:token" use="required"/>
  </xs:complexType>
</xs:element>

```

element **doc:description**

diagram



namespace <http://ncts.dgtaxud.ec/doc>

properties content complex

| attributes | Name | Type | Use | Default | Fixed | Annotation |
|------------|-------|----------|----------|---------|-------|------------|
| | value | xs:token | required | | | |

source


```

<xs:element name="description">
  <xs:complexType>
    <xs:attribute name="value" type="xs:token" use="required"/>
  </xs:complexType>
</xs:element>

```

element **doc:rule**

diagram



namespace <http://ncts.dgtaxud.ec/doc>

properties content complex

| attributes | Name | Type | Use | Default | Fixed | Annotation |
|------------|------|----------|----------|---------|-------|------------|
| | name | xs:token | required | | | |

source

```

<xs:element name="rule">
  <xs:complexType>
    <xs:attribute name="name" type="xs:token" use="required"/>
  </xs:complexType>
</xs:element>

```